

| Title | Formulary Status | Section |
|---------------------|------------------|---|
| Accrete D3® | Non Formulary | 9.6 Vitamins->9.6.4 Vitamin D->COLECALCIFEROL->With calcium |
| ALUMINIUM HYDROXIDE | Non Formulary | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents |
| Bitters and tonics | Non Formulary | |
| Cacit® D3 | Non Formulary | 9.6 Vitamins->9.6.4 Vitamin D->COLECALCIFEROL->With calcium |
| Calcichew-D3® | Non Formulary | 9.6 Vitamins->9.6.4 Vitamin D->COLECALCIFEROL->With calcium |
| Calcichew® | Non Formulary | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.1 Calcium supplements->CALCIUM SALTS->Oral preparations |
| Calcium-500 | Non Formulary | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.1 Calcium supplements->CALCIUM SALTS->Oral preparations |
| Calcium Gluconate | Non Formulary | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.1 Calcium supplements->CALCIUM SALTS->Oral preparations |
| Calcium Lactate | Non Formulary | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.1 Calcium supplements->CALCIUM SALTS->Oral preparations |
| CYANOCOBALAMIN | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.2 Drugs used in megaloblastic anaemias |
| Cyanocobalamin | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.2 Drugs used in megaloblastic anaemias->CYANOCOBALAMIN |
| Decan® | Non Formulary | 9.3 Intravenous nutrition->Supplementary preparations |
| ELTROMBOPAG | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.4 Drugs used in platelet disorders->Idiopathic thrombocytopenic purpura |
| Epoetin zeta | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Erythropoietins->EPOETIN ALFA, BETA, and ZETA |
| Fefol® | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS SULFATE->With folic acid |
| Feospan® | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS SULFATE->Modified-release preparations |
| Ferrograd C® | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS SULFATE WITH ASCORBIC ACID |
| Ferrograd Folic® | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS SULFATE->With folic acid |
| Ferrograd® | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS SULFATE->Modified-release preparations |

| | | |
|--|---------------|---|
| FERROUS GLUCONATE | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron |
| Ferrous Gluconate | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS GLUCONATE |
| FERROUS SULFATE WITH ASCORBIC ACID | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron |
| Fersaday® | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS FUMARATE |
| FLUORIDES | Non Formulary | 9.5 Minerals->9.5.3 Fluoride |
| Fultium-D3® | Non Formulary | 9.6 Vitamins->9.6.4 Vitamin D->COLECALCIFEROL |
| Galfer FA® | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS FUMARATE->With folic acid |
| Galfer® | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS FUMARATE |
| Granocyte® | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.6 Drugs used in neutropenia->LENOGRASTIM |
| IRON ISOMALTOSIDE 1000 | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.2 Parenteral iron |
| IRON SUCROSE | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.2 Parenteral iron |
| Ironorm® Drops | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS SULFATE |
| Kalcipos-D® | Non Formulary | 9.6 Vitamins->9.6.4 Vitamin D->COLECALCIFEROL->With calcium |
| LENOGRASTIM | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.6 Drugs used in neutropenia |
| METHOXY POLYETHYLENE GLYCOL-EPOETIN BETA | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Erythropoietins |
| Mircera® | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Erythropoietins->METHOXY POLYETHYLENE GLYCOL-EPOETIN BETA |
| Modified-release preparations | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS SULFATE |
| Modified-release preparations | Non Formulary | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.1 Oral potassium->POTASSIUM CHLORIDE |
| Monofer® | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.2 Parenteral iron->IRON ISOMALTOSIDE 1000 |
| Natecal D3® | Non Formulary | 9.6 Vitamins->9.6.4 Vitamin D->COLECALCIFEROL->With calcium |
| NICOTINAMIDE | Non Formulary | 9.6 Vitamins->9.6.2 Vitamin B group |

| | | |
|---|---------------|---|
| Niferex® | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->POLYSACCHARIDE-IRON COMPLEX |
| Other compounds | Non Formulary | 9.6 Vitamins->9.6.2 Vitamin B group |
| Paroxysmal nocturnal haemoglobinuria and atypical haemolytic uraemic syndrome | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias |
| Pharmacological strengths | Non Formulary | 9.6 Vitamins->9.6.4 Vitamin D->ERGOCALCIFEROL |
| POLYSACCHARIDE-IRON COMPLEX | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron |
| POTASSIUM BICARBONATE | Non Formulary | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.3 Oral bicarbonate |
| Pregaday® | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS FUMARATE->With folic acid |
| Resonium A® | Non Formulary | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.1 Oral potassium->Management of hyperkalaemia->POLYSTYRENE SULFONATE RESINS |
| RIBOFLAVIN | Non Formulary | 9.6 Vitamins->9.6.2 Vitamin B group |
| SAPROPTERIN DIHYDROCHLORIDE | Non Formulary | 9.4 Oral nutrition->9.4.1 Foods for special diets |
| Siklos® | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Sickle-cell disease->HYDROXYCARBAMIDE |
| Sorbisterit® | Non Formulary | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.1 Oral potassium->Management of hyperkalaemia->POLYSTYRENE SULFONATE RESINS |
| Tracutil® | Non Formulary | 9.3 Intravenous nutrition->Supplementary preparations |
| Venofer® | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.2 Parenteral iron->IRON SUCROSE |
| Vitamins A, C and D | Non Formulary | 9.6 Vitamins->9.6.1 Vitamin A->VITAMIN A |
| With folic acid | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS SULFATE |
| With folic acid | Non Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS FUMARATE |
| With risedronate sodium and colecalciferol | Non Formulary | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.1 Calcium supplements->CALCIUM SALTS |

| | | |
|--------------------------|--------------|---|
| Abidec® | On Formulary | 9.6 Vitamins->9.6.7 Multivitamin preparations |
| Adcal-D3® | On Formulary | 9.6 Vitamins->9.6.4 Vitamin D->COLECALCIFEROL->With calcium |
| Adcal® | On Formulary | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.1 Calcium supplements->CALCIUM SALTS->Oral preparations |
| Addiphos® | On Formulary | 9.3 Intravenous nutrition->Supplementary preparations |
| Additrac® | On Formulary | 9.3 Intravenous nutrition->Supplementary preparations |
| ALBUMIN SOLUTION | On Formulary | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.2 Plasma and plasma substitutes |
| ALFACALCIDOL | On Formulary | 9.6 Vitamins->9.6.4 Vitamin D |
| ALPHA TOCOPHERYL ACETATE | On Formulary | 9.6 Vitamins->9.6.5 Vitamin E |
| ANAGRELIDE | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.4 Drugs used in platelet disorders->Essential thrombocythaemia |
| Bicarbonate and lactate | On Formulary | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water |
| Cacit® | On Formulary | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.1 Calcium supplements->CALCIUM SALTS->Oral preparations |
| Calceos® | On Formulary | 9.6 Vitamins->9.6.4 Vitamin D->COLECALCIFEROL->With calcium |
| CALCITRIOL | On Formulary | 9.6 Vitamins->9.6.4 Vitamin D |
| Calcium Chloride | On Formulary | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.1 Calcium supplements->CALCIUM SALTS->Parenteral preparations |
| Calcium Gluconate | On Formulary | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.1 Calcium supplements->CALCIUM SALTS->Parenteral preparations |
| Calcium Resonium® | On Formulary | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.1 Oral potassium->Management of hyperkalaemia->POLYSTYRENE SULFONATE RESINS |
| Calfovit D3® | On Formulary | 9.6 Vitamins->9.6.4 Vitamin D->COLECALCIFEROL->With calcium |
| Carnitine deficiency | On Formulary | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders |
| Cernevit® | On Formulary | 9.3 Intravenous nutrition->Supplementary preparations |
| CINACALCET | On Formulary | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.2 Hypercalcaemia and hypercalciuria |
| COLECALCIFEROL | On Formulary | 9.6 Vitamins->9.6.4 Vitamin D |
| Colecalciferol | On Formulary | 9.6 Vitamins->9.6.4 Vitamin D->COLECALCIFEROL |
| CosmoFer® | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.2 Parenteral iron->IRON DEXTRAN |
| Dalivit® | On Formulary | 9.6 Vitamins->9.6.7 Multivitamin preparations |

| | | |
|-----------------------------------|--------------|---|
| DARBEPOETIN ALFA | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Erythropoietins |
| DEFERASIROX | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Iron overload |
| DEFERIPRONE | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Iron overload |
| Desferal® | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Iron overload->DEFERRIOXAMINE MESILATE |
| DEFERRIOXAMINE MESILATE | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Iron overload |
| Desferrioxamine mesilate | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Iron overload->DEFERRIOXAMINE MESILATE |
| Desunin® | On Formulary | 9.6 Vitamins->9.6.4 Vitamin D->COLECALCIFEROL |
| DEXTRAN 70 | On Formulary | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.2 Plasma and plasma substitutes->Plasma substitutes |
| Dipeptiven® | On Formulary | 9.3 Intravenous nutrition->Supplementary preparations |
| Drugs used to mobilise stem cells | On Formulary | 9.1 Anaemias and some other blood disorders |
| Electrolytes and water | On Formulary | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance |
| Epoetin alfa | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Erythropoietins->EPOETIN ALFA, BETA, and ZETA |
| Epoetin beta | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Erythropoietins->EPOETIN ALFA, BETA, and ZETA |
| ERGOCALCIFEROL | On Formulary | 9.6 Vitamins->9.6.4 Vitamin D |
| Ferinject® | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.2 Parenteral iron->FERRIC CARBOXYMALTOSE |
| FERRIC CARBOXYMALTOSE | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.2 Parenteral iron |
| FERROUS FUMARATE | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron |
| FERROUS SULFATE | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron |
| Ferrous Sulfate | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS SULFATE |
| FILGRASTIM | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.6 Drugs used in neutropenia |
| FOLIC ACID | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.2 Drugs used in megaloblastic anaemias |

| | | |
|-------------------------------------|--------------|--|
| Folic Acid | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.2 Drugs used in megaloblastic anaemias->FOLIC ACID |
| Forceval® | On Formulary | 9.6 Vitamins->9.6.7 Multivitamin preparations->Vitamin and mineral supplements and adjuncts to synthetic diets |
| GELATIN | On Formulary | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.2 Plasma and plasma substitutes->Plasma substitutes |
| Geloplasma® | On Formulary | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.2 Plasma and plasma substitutes->Plasma substitutes->GELATIN |
| Glycophos® Sterile Concentrate | On Formulary | 9.3 Intravenous nutrition->Supplementary preparations |
| HYDROXOCOBALAMIN | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.2 Drugs used in megaloblastic anaemias |
| Hydroxocobalamin | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.2 Drugs used in megaloblastic anaemias->HYDROXOCOBALAMIN |
| HYDROXYCARBAMIDE | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Sickle-cell disease |
| Intravenous glucose | On Formulary | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water |
| Intravenous potassium | On Formulary | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water |
| Intravenous sodium | On Formulary | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water |
| IRON DEXTRAN | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.2 Parenteral iron |
| Kay-Cee-L® | On Formulary | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.1 Oral potassium->POTASSIUM CHLORIDE |
| Ketovite® | On Formulary | 9.6 Vitamins->9.6.7 Multivitamin preparations->Vitamin and mineral supplements and adjuncts to synthetic diets |
| Magnesium | On Formulary | 9.5 Minerals->9.5.1 Calcium and magnesium |
| Magnesium Sulfate Injection, BP | On Formulary | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.3 Magnesium->MAGNESIUM SULFATE |
| MENADIOL SODIUM PHOSPHATE | On Formulary | 9.6 Vitamins->9.6.6 Vitamin K |
| Oral rehydration therapy (ORT) | On Formulary | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.2 Oral sodium and water |
| Oral vitamin B complex preparations | On Formulary | 9.6 Vitamins->9.6.2 Vitamin B group |
| Peditrace® | On Formulary | 9.3 Intravenous nutrition->Supplementary preparations |
| PEGFILGRASTIM | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.6 Drugs used in neutropenia |

| | | |
|-------------------------------|--------------|--|
| Phosphate-Sandoz® | On Formulary | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.1 Phosphate supplements |
| Phosphates | On Formulary | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.1 Phosphate supplements |
| PHYTOMENADIONE | On Formulary | 9.6 Vitamins->9.6.6 Vitamin K |
| Plasma and plasma substitutes | On Formulary | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance |
| PYRIDOXINE HYDROCHLORIDE | On Formulary | 9.6 Vitamins->9.6.2 Vitamin B group |
| ROMIPLOSTIM | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.4 Drugs used in platelet disorders->Idiopathic thrombocytopenic purpura |
| Sando-K® | On Formulary | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.1 Oral potassium->POTASSIUM CHLORIDE |
| Sandocal® | On Formulary | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.1 Calcium supplements->CALCIUM SALTS->Oral preparations |
| Selenium | On Formulary | 9.5 Minerals |
| SELENIUM | On Formulary | 9.5 Minerals->9.5.5 Selenium |
| SODIUM BICARBONATE | On Formulary | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.3 Oral bicarbonate |
| SODIUM CHLORIDE | On Formulary | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.2 Oral sodium and water |
| SODIUM FEREDTATE | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron |
| Solivito N® | On Formulary | 9.3 Intravenous nutrition->Supplementary preparations |
| Sytron® | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->SODIUM FEREDTATE |
| THIAMINE | On Formulary | 9.6 Vitamins->9.6.2 Vitamin B group |
| Vitamin C | On Formulary | 9.6 Vitamins |
| Vitamin E | On Formulary | 9.6 Vitamins |
| Vitamin E Suspension | On Formulary | 9.6 Vitamins->9.6.5 Vitamin E->ALPHA TOCOPHERYL ACETATE |
| Vitamins | On Formulary | 9.6 Vitamins->9.6.7 Multivitamin preparations |
| Vitamins A and D | On Formulary | 9.6 Vitamins->9.6.1 Vitamin A->VITAMIN A |
| Vitlipid N® | On Formulary | 9.3 Intravenous nutrition->Supplementary preparations |
| Water | On Formulary | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water |
| Zarzio® | On Formulary | 9.1 Anaemias and some other blood disorders->9.1.6 Drugs used in neutropenia->FILGRASTIM |
| ZINC SULFATE | On Formulary | 9.5 Minerals->9.5.4 Zinc |

| | | |
|--------------------------|------------|---|
| HYDROXYETHYL STARCH | Restricted | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.2 Plasma and plasma substitutes->Plasma substitutes |
| LANTHANUM | Restricted | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents |
| SEVELAMER CARBONATE | Restricted | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents |
| SEVELAMER HYDROCHLORIDE | Restricted | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents |
| Feraccru® | None | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERRIC MALTOL |
| Adcal® | None | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents->CALCIUM SALTS |
| AGALSIDASE ALFA and BETA | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Fabry's disease |
| Aldurazyme® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Mucopolysaccharidosis->LARONIDASE |
| Alfacalcidol | None | 9.6 Vitamins->9.6.4 Vitamin D->ALFACALCIDOL |
| ALGLUCOSIDASE ALFA | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Pompe disease |
| ALPHA TOCOPHEROL | None | 9.6 Vitamins->9.6.5 Vitamin E |
| Alu-Cap® | None | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents->ALUMINIUM HYDROXIDE |
| Aminoplasmal 10% | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Aminoplasmal 5% E | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Aminoven 25 | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Ammonaps® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Urea cycle disorders->SODIUM PHENYLBUTYRATE |
| Aranesp® | None | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Erythropoietins->DARBEPOETIN ALFA |
| ASCORBIC ACID | None | 9.6 Vitamins->9.6.3 Vitamin C |
| Ascorbic Acid | None | 9.6 Vitamins->9.6.3 Vitamin C->ASCORBIC ACID |
| AT 10® | None | 9.6 Vitamins->9.6.4 Vitamin D->DIHYDROTACHYSTEROL |
| BETAINE | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Homocystinuria |
| Binocrit® | None | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Erythropoietins->EPOETIN ALFA, BETA, and ZETA->Epoetin alfa |
| Calcichew® | None | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents->CALCIUM SALTS |

| | | |
|----------------------------|------|--|
| Calcitriol | None | 9.6 Vitamins->9.6.4 Vitamin D->CALCITRIOL |
| Calcium-500 | None | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents->CALCIUM SALTS |
| Calcium and Ergocalciferol | None | 9.6 Vitamins->9.6.4 Vitamin D->ERGOCALCIFEROL->With calcium |
| CALCIUM SALTS | None | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.1 Calcium supplements |
| CALCIUM SALTS | None | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents |
| Carbaglu® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Urea cycle disorders->CARGLUMIC ACID |
| CARGLUMIC ACID | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Urea cycle disorders |
| Carnitor® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Carnitine deficiency->LEVOCARNITINE |
| Cerezyme® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Gaucher's disease->IMIGLUCERASE |
| Clinimix N14G30E | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Clinimix N9G20E | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| ClinOleic 20% | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Cystadane® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Homocystinuria->BETAINE |
| Cystagon® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Nephropathic cystinosis->MERCAPTAMINE |
| DIHYDROTACHYSTEROL | None | 9.6 Vitamins->9.6.4 Vitamin D |
| Dioralyte® | None | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.2 Oral sodium and water->Oral rehydration therapy (ORT)->ORAL REHYDRATION SALTS (ORS)->UK formulations |
| Dioralyte® Relief | None | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.2 Oral sodium and water->Oral rehydration therapy (ORT)->ORAL REHYDRATION SALTS (ORS)->UK formulations |
| Duraphat® | None | 9.5 Minerals->9.5.3 Fluoride->FLUORIDES->Toothpastes |
| ECULIZUMAB | None | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Paroxysmal nocturnal haemoglobinuria and atypical haemolytic uraemic syndrome |
| Elaprase® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Mucopolysaccharidosis->IDURSULFASE |
| Electrolade® | None | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.2 Oral sodium and water->Oral rehydration therapy (ORT)->ORAL REHYDRATION SALTS (ORS)->UK formulations |
| ELOSULFASE ALFA | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Mucopolysaccharidosis |
| En-De-Kay® | None | 9.5 Minerals->9.5.3 Fluoride->FLUORIDES->Tablets |
| En-De-Kay® | None | 9.5 Minerals->9.5.3 Fluoride->FLUORIDES->Oral drops |

| | | |
|--|------|---|
| En-De-Kay® | None | 9.5 Minerals->9.5.3 Fluoride->FLUORIDES->Mouthwashes |
| EPOETIN ALFA, BETA, and ZETA | None | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Erythropoietins |
| Eporex® | None | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Erythropoietins->EPOETIN ALFA, BETA, and ZETA->Epoetin alfa |
| Ergocalciferol | None | 9.6 Vitamins->9.6.4 Vitamin D->ERGOCALCIFEROL->Pharmacological strengths |
| Exjade® | None | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Iron overload->DEFERASIROX |
| Fabrazyme® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Fabry's disease->AGALSIDASE ALFA and BETA |
| FERRIC MALTOL | None | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron |
| Ferriprox® | None | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Iron overload->DEFERIPRONE |
| Ferrous Fumarate | None | 9.1 Anaemias and some other blood disorders->9.1.1 Iron-deficiency anaemias->9.1.1.1 Oral iron->FERROUS FUMARATE |
| Fluor-a-day® | None | 9.5 Minerals->9.5.3 Fluoride->FLUORIDES->Tablets |
| FluoriGard® | None | 9.5 Minerals->9.5.3 Fluoride->FLUORIDES->Mouthwashes |
| Fosrenol® | None | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents->LANTHANUM |
| GALSULFASE | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Mucopolysaccharidosis |
| Gelaspan | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.2 Plasma and plasma substitutes->Plasma substitutes->GELATIN |
| Gelofusine® | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.2 Plasma and plasma substitutes->Plasma substitutes->GELATIN |
| Glamin | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| GLUCOSE | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Intravenous glucose |
| Glucose Intravenous Infusion | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Intravenous glucose->GLUCOSE |
| HAEM ARGINATE | None | 9.8 Metabolic disorders->9.8.2 Acute porphyrias |
| Halibut-liver Oil | None | 9.6 Vitamins->9.6.1 Vitamin A->VITAMIN A->Vitamins A and D |
| Healthy Start Children's Vitamin Drops | None | 9.6 Vitamins->9.6.1 Vitamin A->VITAMIN A->Vitamins A, C and D |

| | | |
|-------------------------|------|--|
| Hyperamine 30 | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| IDURSULFASE | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Mucopolysaccharidosis |
| IMIGLUCERASE | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Gaucher's disease |
| Intralipid 10% | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Intralipid 20% | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Intralipid 30% | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| InVita D3® | None | 9.6 Vitamins->9.6.4 Vitamin D->COLECALCIFEROL |
| Isoplex® | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.2 Plasma and plasma substitutes->Plasma substitutes->GELATIN |
| Kabiven | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Kabiven Peripheral | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Konakion® MM | None | 9.6 Vitamins->9.6.6 Vitamin K->PHYTOMENADIONE->Colloidal formulation |
| Konakion® MM Paediatric | None | 9.6 Vitamins->9.6.6 Vitamin K->PHYTOMENADIONE->Colloidal formulation |
| Kuvan® | None | 9.4 Oral nutrition->9.4.1 Foods for special diets->SAPROPTERIN DIHYDROCHLORIDE |
| LARONIDASE | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Mucopolysaccharidosis |
| LEVOCARNITINE | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Carnitine deficiency |
| Levocarnitine | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Carnitine deficiency->LEVOCARNITINE |
| LIPEGFILGRASTIM | None | 9.1 Anaemias and some other blood disorders->9.1.6 Drugs used in neutropenia |
| Lipidem | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Lipofundin MCT/LCT 10% | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Lipofundin MCT/LCT 20% | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Lonquex® | None | 9.1 Anaemias and some other blood disorders->9.1.6 Drugs used in neutropenia->LIPEGFILGRASTIM |
| Magnaspartate® | None | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.3 Magnesium->MAGNESIUM ASPARTATE |
| MAGNESIUM ASPARTATE | None | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.3 Magnesium |
| MAGNESIUM SULFATE | None | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.3 Magnesium |

| | | |
|--|------|---|
| Menadiol Phosphate | None | 9.6 Vitamins->9.6.6 Vitamin K->MENADIOL SODIUM PHOSPHATE |
| MERCAPTAMINE | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Nephropathic cystinosis |
| MIGLUSTAT | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Other metabolic disorders |
| Mimpara® | None | 9.5 Minerals->9.5.1 Calcium and magnesium->9.5.1.2 Hypercalcaemia and hypercalciuria->CINACALCET |
| Minijet® Sodium Bicarbonate | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Bicarbonate and lactate->SODIUM BICARBONATE |
| Mozobil® | None | 9.1 Anaemias and some other blood disorders->9.1.7 Drugs used to mobilise stem cells->PLERIXAFOR |
| Myozyme® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Pompe disease->ALGLUCOSIDASE ALFA |
| Naglazyme® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Mucopolysaccharidosis->GALSULFASE |
| Neokay® | None | 9.6 Vitamins->9.6.6 Vitamin K->PHYTOMENADIONE |
| NeoRecormon® | None | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Erythropoietins->EPOETIN ALFA, BETA, and ZETA->Epoetin beta |
| Neulasta® | None | 9.1 Anaemias and some other blood disorders->9.1.6 Drugs used in neutropenia->PEGFILGRASTIM |
| Neupogen® | None | 9.1 Anaemias and some other blood disorders->9.1.6 Drugs used in neutropenia->FILGRASTIM |
| NITISINONE | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Tyrosinaemia type I |
| Nivestim® | None | 9.1 Anaemias and some other blood disorders->9.1.6 Drugs used in neutropenia->FILGRASTIM |
| Normosang® | None | 9.8 Metabolic disorders->9.8.2 Acute porphyrias->HAEM ARGINATE |
| Nplate® | None | 9.1 Anaemias and some other blood disorders->9.1.4 Drugs used in platelet disorders->Idiopathic thrombocytopenic purpura->ROMIPLOSTIM |
| Nutriflex basal | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| NuTRIflex Lipid peri | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| NuTRIflex Lipid plus | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| NuTRIflex Lipid plus without Electrolytes | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| NuTRIflex Lipid special | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| NuTRIflex Lipid special without Electrolytes | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| NuTRIflex Omega plus | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |

| | | |
|-------------------------------|------|--|
| NuTRIflex Omega special | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Nutriflex peri | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Nutriflex plus | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Nutriflex special | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| OliClinomel N4-550E | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| OliClinomel N4-720E | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| OliClinomel N5-800E | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| OliClinomel N6-900E | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| OliClinomel N7-1000 | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| OliClinomel N7-1000E | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| OliClinomel N8-800 | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Omegaven | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| One-Alpha® | None | 9.6 Vitamins->9.6.4 Vitamin D->ALFACALCIDOL |
| Oral Rehydration Salts | None | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.2 Oral sodium and water->Oral rehydration therapy (ORT)->ORAL REHYDRATION SALTS (ORS)->WHO formulation |
| ORAL REHYDRATION SALTS (ORS) | None | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.2 Oral sodium and water->Oral rehydration therapy (ORT) |
| Orfadin® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Tyrosinaemia type I->NITISINONE |
| Osvaren® | None | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents->CALCIUM SALTS->With magnesium carbonate |
| Pabrinex® | None | 9.6 Vitamins->9.6.2 Vitamin B group->THIAMINE |
| PARICALCITOL | None | 9.6 Vitamins->9.6.4 Vitamin D |
| PENICILLAMINE | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Wilson's disease |
| Pheburane® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Urea cycle disorders->SODIUM PHENYLBUTYRATE |
| Phosex® | None | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents->CALCIUM SALTS |
| PhosLo® | None | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents->CALCIUM SALTS |
| Plasma-Lyte 148 (dextrose 5%) | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |

| | | |
|---|------|---|
| Plasma-Lyte 148 (water) | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Plasma-Lyte M (dextrose 5%) | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| PLERIXAFOR | None | 9.1 Anaemias and some other blood disorders->9.1.7 Drugs used to mobilise stem cells |
| POLYSTYRENE SULFONATE RESINS | None | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.1 Oral potassium->Management of hyperkalaemia |
| Potaba® | None | 9.6 Vitamins->9.6.2 Vitamin B group->Other compounds |
| POTASSIUM CHLORIDE | None | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.1 Oral potassium |
| POTASSIUM CHLORIDE | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Intravenous potassium |
| Potassium Chloride and Glucose Intravenous Infusion | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Intravenous potassium->POTASSIUM CHLORIDE |
| Potassium Chloride and Sodium Chloride Intravenous Infusion | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Intravenous potassium->POTASSIUM CHLORIDE |
| Potassium Chloride Concentrate, Sterile | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Intravenous potassium->POTASSIUM CHLORIDE |
| Potassium Chloride, Sodium Chloride, and Glucose Intravenous Infusion | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Intravenous potassium->POTASSIUM CHLORIDE |
| Potassium Tablets, Effervescent | None | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.3 Oral bicarbonate->POTASSIUM BICARBONATE |
| Primene 10% | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Pyridoxine | None | 9.6 Vitamins->9.6.2 Vitamin B group->PYRIDOXINE HYDROCHLORIDE |
| Ratiograstim® | None | 9.1 Anaemias and some other blood disorders->9.1.6 Drugs used in neutropenia->FILGRASTIM |
| Renacet® | None | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents->CALCIUM SALTS |
| Renagel® | None | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents->SEVELAMER HYDROCHLORIDE |
| Renvela® | None | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents->SEVELAMER CARBONATE |
| Replagal® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Fabry's disease->AGALSIDASE ALFA and BETA |

| | | |
|--|------|---|
| RescueFlow® | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.2 Plasma and plasma substitutes->Plasma substitutes->DEXTRAN 70->Hypertonic solution |
| Retacrit® | None | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Erythropoietins->EPOETIN ALFA, BETA, and ZETA->Epoetin zeta |
| Revolade® | None | 9.1 Anaemias and some other blood disorders->9.1.4 Drugs used in platelet disorders->Idiopathic thrombocytopenic purpura->ELTROMBOPAG |
| Ringer's Solution for Injection | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Intravenous sodium->SODIUM CHLORIDE->With other ingredients |
| Rocaltrol® | None | 9.6 Vitamins->9.6.4 Vitamin D->CALCITRIOL |
| Selenase® | None | 9.5 Minerals->9.5.5 Selenium->SELENIUM |
| Slow-K® | None | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.1 Oral potassium->POTASSIUM CHLORIDE->Modified-release preparations |
| Slow Sodium® | None | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.2 Oral sodium and water->SODIUM CHLORIDE |
| SMOFlipid | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Sodium Bicarbonate | None | 9.2 Fluids and electrolytes->9.2.1 Oral preparations for fluid and electrolyte imbalance->9.2.1.3 Oral bicarbonate->SODIUM BICARBONATE |
| SODIUM BICARBONATE | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Bicarbonate and lactate |
| Sodium Bicarbonate Intravenous Infusion | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Bicarbonate and lactate->SODIUM BICARBONATE |
| SODIUM CHLORIDE | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Intravenous sodium |
| Sodium Chloride and Glucose Intravenous Infusion | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Intravenous sodium->SODIUM CHLORIDE->With other ingredients |
| Sodium Chloride Intravenous Infusion | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Intravenous sodium->SODIUM CHLORIDE |
| SODIUM LACTATE | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Bicarbonate and lactate |
| Sodium Lactate | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Bicarbonate and lactate->SODIUM LACTATE |

| | | |
|---|------|---|
| Sodium Lactate Intravenous Infusion, Compound | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Intravenous sodium->SODIUM CHLORIDE->With other ingredients |
| SODIUM PHENYLBUTYRATE | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Urea cycle disorders |
| Soliris® | None | 9.1 Anaemias and some other blood disorders->9.1.3 Drugs used in hypoplastic, haemolytic, and renal anaemias->Paroxysmal nocturnal haemoglobinuria and atypical haemolytic uraemic syndrome->ECULIZUMAB |
| Solvazinc® | None | 9.5 Minerals->9.5.4 Zinc->ZINC SULFATE |
| StructoKabiven Electrolyte Free | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Structolipid 20% | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| SUCROFERRIC OXYHYDROXIDE | None | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents |
| Synthamin 14 | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Synthamin 14 EF (electrolyte-free) | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Synthamin 17 | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Synthamin 17 EF (electrolyte-free) | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Synthamin 9 | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Synthamin 9 EF (electrolyte-free) | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Thiamine | None | 9.6 Vitamins->9.6.2 Vitamin B group->THIAMINE |
| TRIENTINE DIHYDROCHLORIDE | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Wilson's disease |
| Trientine Dihydrochloride | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Wilson's disease->TRIENTINE DIHYDROCHLORIDE |
| Vamin 14 | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Vamin 14 (Electrolyte-Free) | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Vamin 18 (Electrolyte-Free) | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |

| | | |
|-------------------------------------|------|---|
| Vamin 9 Glucose | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Vaminolact | None | 9.3 Intravenous nutrition->Proprietary Infusion Fluids for Parenteral Feeding |
| Vedrop® | None | 9.6 Vitamins->9.6.5 Vitamin E->ALPHA TOCOPHEROL |
| VELAGLUCERASE ALFA | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Gaucher's disease |
| Velphoro® | None | 9.5 Minerals->9.5.2 Phosphorus->9.5.2.2 Phosphate-binding agents->SUCROFERRIC OXYHYDROXIDE |
| Vigranon B® | None | 9.6 Vitamins->9.6.2 Vitamin B group->Oral vitamin B complex preparations |
| Vimizim® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Mucopolysaccharidosis->ELOSULFASE ALFA |
| VITAMIN A | None | 9.6 Vitamins->9.6.1 Vitamin A |
| Vitamin B Tablets, Compound | None | 9.6 Vitamins->9.6.2 Vitamin B group->Oral vitamin B complex preparations |
| Vitamin B Tablets, Compound, Strong | None | 9.6 Vitamins->9.6.2 Vitamin B group->Oral vitamin B complex preparations |
| Vitamins A and D | None | 9.6 Vitamins->9.6.1 Vitamin A->VITAMIN A->Vitamins A and D |
| Volplex® | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.2 Plasma and plasma substitutes->Plasma substitutes->GELATIN |
| Volulyte® | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.2 Plasma and plasma substitutes->Plasma substitutes->HYDROXYETHYL STARCH->Tetrastarch |
| Voluven® | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.2 Plasma and plasma substitutes->Plasma substitutes->HYDROXYETHYL STARCH->Tetrastarch |
| VPRIV® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Gaucher's disease->VELAGLUCERASE ALFA |
| Water for Injections | None | 9.2 Fluids and electrolytes->9.2.2 Parenteral preparations for fluid and electrolyte imbalance->9.2.2.1 Electrolytes and water->Water |
| Wilzin® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Wilson's disease->ZINC ACETATE |
| Xagrid® | None | 9.1 Anaemias and some other blood disorders->9.1.4 Drugs used in platelet disorders->Essential thrombocythaemia->ANAGRELIDE |
| Zavesca® | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Other metabolic disorders->MIGLUSTAT |
| Zemlar® | None | 9.6 Vitamins->9.6.4 Vitamin D->PARICALCITOL |
| ZINC ACETATE | None | 9.8 Metabolic disorders->9.8.1 Drugs used in metabolic disorders->Wilson's disease |
| Zinc Sulfate | None | 9.5 Minerals->9.5.4 Zinc->ZINC SULFATE |